

## Lingon (Mac OS X) For Automatic Restarts Pending Engine Failure


MassTransit for OS X can be easily configured to restart automatically with launchd (a system service that replaces several older services such as xinetd, cron, etc) using a graphical interface called Lingon. Lingon works with Mac OS X 10.4.2 or later. It is similar to Microsoft's Windows Services, which can be configured to restart MassTransit automatically on Windows machines. You can read more about Lingon at <http://lingon.sourceforge.net/>.

You can download Lingon at:

[http://sourceforge.net/project/downloading.php?groupname=lingon&filename=Lingon-1.2.dmg&use\\_mirror=superb-east](http://sourceforge.net/project/downloading.php?groupname=lingon&filename=Lingon-1.2.dmg&use_mirror=superb-east)


Steps to configure Lingon to restart MassTransit after a failure:

1. Open Lingon.
2. Click the lock at the bottom to allow changes. If you are not already logged on as an administrator, you will be required to enter the administrator password at this time.



3. Click Assistant.

4. Select “Keep an application/script always running” and click Next.



**What do I want to do...**

Step 1 of 3

- Run a job at startup
- Run a job periodically
- Run a job at a specific time
- Keep an application/script always running
- Run an application/script when a file is modified
- Run an application/script when something is added to a folder

Cancel Previous Next

5. Enter a name for the job in the Label field.

6. Deselect “Launch only when I log in.”



**Set the label and select the appropriate boxes**

Step 2 of 3

Label:

You can name it anything unique but please use reverse domain naming, e.g. org.peterborg.MySuperLaunchd. This will also be used as the filename.

- Launch only when I log in  
If this box is checked it will be placed in My Agents
- Must run as root  
If this box is checked it will be placed in Users Daemons.

If both "Launch only when I log in" and "Must run as root" are unchecked it will be placed in Users Agents

Cancel Previous Next

7. To enter the path to the MassTransit engine, click Path and navigate to /Applications/MassTransit Server 5 Folder/MassTransit Engine.app/Contents/MacOS/MassTransit engine and click Open.
8. Click Create.

