

Technote 0003

Hiding Priority Folders From Receiver

By Doug Hill


1/31/02

Group Logic Technical Support


This Technote describes how to hide Priority folders from contacts that are receiving files from a MassTransit Enterprise Server.

Priority Folders

MassTransit Enterprise allows you to create "Priority Folders" inside the *To Send* folder of a contact's mailbox folder. These specially named folders allow you to assign file sending priorities by dragging files into the appropriate folder. For example, the picture below shows a mailbox folder with two priority folders. Files placed in the folder named "Priority-RUSH" are assigned the priority "RUSH". Similarly, files placed in the "Priority-LOW" folder are assigned a priority of "LOW".




When sending files to a contact MassTransit maintains the folder hierarchy on the receiving side. Therefore, in the example above, the receiver of the files would have "Priority-RUSH" and "Priority-LOW" folders in his *Received* folder as shown below.



This behavior may not be appropriate for some users. That is, you may not wish to let your contacts see what priority was assigned to files being sent to them. If this is the case you can change MassTransit's behavior so that the priority folders are omitted from the *Received* folder.

After making the change described below the Received folder would look like:



To modify MassTransit you will need a resource editor such as ResEdit or Resourcerer. Using either of those applications:

1. Open the MassTransit application



2. find resources of type 'pFLG' and edit #128



3. change the setting to TRUE

4. select Save from the File menu